

**BHARAT SARKAR GOVERNMENT OF INDIA
RAIL MANTRALAYA MINISTRY OF RAILWAY
(RAILWAY BOARD)**

Minutes of the Meeting with CCE/All Zonal Railways held on 24 February 2022 through Video Conferencing.

The list of participant is attached as Annexure-I.

S.No.	Items discussed/decisions taken	Action Reqd. by
1.	AM/Tele desired that Telecom deficiencies highlighted during safety drive should be noted and their rectification ensured. In ART, items as per the list circulated by Safety Dte are to be kept and officials must ensure to undertake periodic inspection as per schedule. In ART, CUG coverage network map should be kept so that dark zones, if any, may be known.	PCSTE/ALL ZONAL RAILWAY
2.	AM/Tele stated that expenditure against Telecom works under PH-33 for 2021-22 be monitored by CCEs on weekly basis. In this regard, a spread sheet is shared to all CCEs to update the expenditure till Jan-22 and expected by Mar-22. As per this sheet, data is as under:	PCSTE/ALL ZONAL RAILWAY

(fig. in '000 of Rs.)											
Railway	Count of Works	Sum of Original Cost	Sum of Last Sanctioned Cost	Sum of Expenditure upto March '21	Sum of Expenditure during 2021-2022	Sum of Outlay Modified for 2021-2022	Exp in %	RE outlay 21-22	Rly Exp till Jan-22 in Ex. 21-22	Rly Exp till Mar-22 in Ex. 21-22 (expected)	Exp in % till Mar-22 (expected)
CR	8	8330748	8266517	303612	190203	276079	68.89	15.37	18.26	18.56	120.75
ECoR	10	6502427	6430470	289237	12179	7854	15.50	7.85	2.08	5.58	71.09
ECR	8	3911561	4039607	458836	43440	167000	14.47	9.37	4.34	8.41	89.75
ER	8	3676684	3676340	152571	31713	131462	24.12	16.69	6.05	11.25	87.41
MR	1	137930	75700	0	198	20000	0.99	0.50	0.02	0.06	12.00
NCR	19	11543062	11271179	3805000	123270	271796	54.16	31.95	17.30	31.95	100.00
NER	6	3610496	3742948	416600	4804	80099	6.00	5.12	1.29	5.12	100.00
NFR	6	3960327	3931261	120133	0	81003	0.00	2.79	0.00	0.30	11.11
NR	24	8294950	8654063	1823739	198373	252574	90.47	25.25	19.57	25.26	99.99
NWR	5	3632543	3687246	87188	9810	85615	11.46	6.50	1.63	2.89	44.40
SCR	5	8856931	8777265	437958	43695	47813	91.39	4.78	4.37	4.79	99.97
SECR	4	6019000	6017948	0	0	21501	0.00	1.40	0.00	0.00	0.00
SER	3	4609600	4609600	4428	14642	70000	20.92	3.00	1.71	2.49	83.00
SR	5	4391670	4732875	116275	44544	192500	23.14	8.47	6.00	7.91	93.41
SWR	5	3801951	3776416	0	17016	210300	8.09	19.71	5.64	10.73	54.45
WCR	8	4147832	4203382	167531	14222	30371	15.74	9.03	3.24	6.80	75.30
WR	8	4346212	4301040	320383	74792	393693	18.98	40.46	8.07	11.68	28.87
Grand Total	131	89513324	90217938	8245331	741322	2643846	28.04	208.16	99.57	153.77	73.87

Railways must ensure maximum expenditure in respect to RE outlay & before final modification, any surrender, if planned, be done.

3.	For IP-MPLS, VoIP based TCCS & IP Exchange works under SCR and NCR umbrella works, RB has sanctioned the work of SWR and proposal from NCR has been received. Proposals from NFR, SECR and SR are still awaited in Board, after zonal finance vetting and approval of GM. Other Rlys i.e. ECoR, NR, NWR, SCR, WR and MR may also process the similar nature of works under SCR/NCR umbrella work at the earliest i.e well before exhaustion of these Umbrella works on 31 st Mar-2022. In FY 22-23, proposals from CR, ER, ECR, NER, SER & WCR are already included.	PCSTE/ NFR, SECR, SR, ECoR, NR, NWR, SCR, WR & MR.
----	--	---

4	<p>Procurement of Walkie-Talkie sets under Make in India guidelines duly complying RDSO specifications along with its performance was discussed.</p> <p>Matter has been discussed with PSUs like BEL, ITI, CDAC, CDOT and other OEMs. RDSO must ensure vendor development with all possible OEMs. Railways are also facing the procurement of spare batteries. Necessary clarification/amendment in specifications, if required, may be made in connection with spare batteries & IP(Ingress Protection) standards.</p>	PED/Tele/R DSO PCSTE/ALL ZONAL RAILWAY
5	<p>(a) CCTV dashboard development was assigned to NWR as pilot project with target of 31st Mar-22. Other Railways may also plan to develop similar dashboard.</p> <p>(b) Zonal Railways to ensure proper power supply backup of suitable duration for CCTV system.</p>	PCSTE/ALL ZONAL RAILWAY
6.	Electrical load requirement at Railway stations for Telecom equipment like CCTV, Wi-Fi, Passenger amenities items, LTE enode-B , OFC equipment, tunnel communication and other related equipment is to be calculated and communicated so that a policy directive can be got issued from Electrical Dte.	PCSTE/ALL ZONAL RAILWAY
7	Daily Wi-Fi status report should be made available to Zonal Railways by RCIL as was being shared earlier through email.	CMD RCIL
8	Correct Due Spectrum charges to be paid to WPC for GSM-R system may be sent by concerned Railways especially by ECR & NFR for arranging the funds under revenue.	PCSTE/EC R & NFR, NR, NCR, METRO
9	Details of OFC handed over to RCIL for maintenance to be apprised to Railway Board for calculation of equity transfer as per agreement signed with RCIL. Railways may share the details of sections where OFC is laid but not taken over by RCIL in the format (as shared by Railway Board to all Railways).	PCSTE/ALL ZONAL RAILWAY
10	Issues raised by Zonal railways are enclosed.	

No:2022/Tele/MoM

DT: 14/03/2022


 14/03/22
 (Dharmendra Singh)
 Director(Telecom)

- (i) PCSTE/All Indian Railways. } - for information & necessary action.
 (ii) CMD/RailTel }